Remarks

These Remarks are in reply to the Office Action mailed February 12, 2007. The Examiner and Examiner Robert are thanked for extending the courtesy of an interview with the Applicant on Thursday March 8, 2007 at 12:30PM

The Examiner and Examiner Robert are also thanked for helpful suggestions regarding amending Claim 1, which were adopted. The Examiner's stated that amended Claim 1 would avoid both the 35 U.S.C. §112 objection and 35 U.S.C. §102 (b) rejection. The amendments introduced into Claim 1 are supported in the specification at least at paragraph [0047].

Claims 1-12 and 47-50 were pending in the Application prior to the outstanding Office Action. The Examiner withdrew claims 5 and 6 and rejected Claims 1-4, 7-12 and 47-50. In the present reply, the Applicant amends Claim 1 and 47-49. The Applicant respectfully requests that the Examiner reconsider the rejection, since it is the Applicants belief that Claims 1-4, 7-12 and 47-50 are now in condition for allowance.

Claim Rejections Under 35 U.S.C. § 112

Claims 1-4 and 7-12 were rejected under 35 U.S.C. 112 second paragraph as being indefinite.

The Applicant thanks the Examiner for her careful reading of the claims. The Applicant has amended Claim 1 to help particularly point out and distinctly claim what the Applicant regards as the invention.

Claim Rejections Under 35 U.S.C. § 102

Claims 1-4, 7-12 and 47-50 were rejected under 35 U.S.C. 102(e) as being anticipated by Bertagnoli et al. U.S. Patent 5.571.109 (hereinafter "Bertagnoli"). Claim 1-4 and 7-12

Examiner Hoffman and Examiner Robert indicated that amended Claim 1 would not be

subject to a 35 U.S.C. §102 (b) rejection to Bertagnoli.

Claims 2-4, and 7-12 all directly or indirectly depend from independent Claim 1, and are

believed patentable for at least the same reasons as independent Claim 1 and because of the

additional limitations of these claims.

Claims 47

Amended Claims 47 contains the limitation "wherein the first and second grooves are

parallel; wherein the second pair of cutting blades are outboard of and spaced from the first pair of

cutting blades". Since Bertagnoli does not disclose the identical invention in as complete detail as

is contained in Claim 47, it does not anticipate Claim 47.

Claims 48

Claims 48 contains the limitation a "tool for preparing the vertebral bodies for an implant

comprising a cutter". The Examiner directed the Applicant to Figure 7a of Bertagnoli. According

to Bertagnoli, Figure 7a is another example of an implant (column 10, line 38). Thus the Examiner

is citing the implant and not a tool for preparing vertebral bodies for an implant.

The auxiliary device in Figure 1A has a handle that attaches from underneath the tines. If

the device in Figure 7 has cutting edges above and below the tines then it is not possible that a

handle attaches to the tines since this would interfere with the cutting edges. Thus, the handle in

Figures 1, 11-13 would interfere with the cutting edges shown in Figure 7. The Examiner is

- 10 -

requested to explain where Bertagnoli discloses modifying the implant of Figure 7 to act as a tool

according to Claim 48. Since Bertagnoli does not disclose the identical invention in as complete

detail as is contained in Claim 48, it does not anticipate Claim 48.

Claims 49

Amended Claims 49 contains the limitation "wherein the second pair of cutting blades are

spaced from the first pair of cutting blades by the thickness dimension of the cutter body". Since

Bertagnoli does not disclose the identical invention in as complete detail as is contained in Claim

49, it does not anticipate Claim 49.

Claims 50

Claims 50 contains the limitation that the "tool contains a handle" and "wherein for the entire

length of the blade cutting surface, the blade is parallel to the handle of the tool, such that with the

handle moving in a horizontal plane the first and second cutting blades will cut parallel grooves in

the horizontal plane". The Examiner is respectfully requested to cite where in Bertagnoli the tool

is disclosed with the limitations of a handle as specified in Claim 50. Since Bertagnoli does not

disclose the identical invention in as complete detail as is contained in Claim 50, it does not

anticipate Claim 50.

In view of the above, Applicants respectfully request that the Examiner reconsider and

withdraw the 102(b) rejection.

- 11 -

CONCLUSION

In light of the above, it is respectfully submitted that all of the claims now pending in the

subject patent application should be allowable, and a Notice of Allowance is requested. The

Examiner is respectfully requested to telephone the undersigned if he can assist in any way in

expediting issuance of a patent.

The Commissioner is authorized to charge any underpayment or credit any overpayment to

Deposit Account No. 06-1325 for any matter in connection with this response, including any fee for

extension of time, which may be required.

Respectfully submitted,

Date: March 13, 2007

By: /Anthony G. Craig/

Anthony G. Craig Reg. No. 50,342

FLIESLER MEYER LLP 650 California Street

San Francisco, California 94108 Telephone: (415) 362-3800 Customer No. 23910

officeactions@fdml.com